

VEHICLE					
Reg Cab	Regular Cab	PV	Passenger Van	SWB	Short Wheelbase
Ext Cab	Extended Cab	SRW	Single Rear Wheel	LWB	Long Wheelbase
CC	Crew Cab	DRW	Dual Rear Wheel	EL	Extra Length
DC	Double Cab	AWD	All-Wheel Drive	LR	Low Roof
SB	Shortbed	FWD	Front-Wheel Drive	MR	Medium Roof
Std Bed	Standard Bed	RWD	Rear-Wheel Drive	HR	High Roof
LB	Longbed	2WD	Two-Wheel Drive	EHR	Extra-High Roof
CV	Cargo Van	4WD	Four-Wheel Drive		

ENGINE		GEAR RATIO			
TD	Turbo Diesel	b	3.08:1	h	3.55:1
TC	Turbocharged	c	3.15:1	i	3.73:1
SC	Supercharged	d	3.21:1	j	3.92:1
		e	3.23:1	k	4.10:1
		f	3.31:1	l	4.30:1
		g	3.42:1		

a	Automatic Transmission	m6	Manual Transmission, 6 Speeds
a6	Automatic Transmission, 6 Speeds	p	Cooling or Other Accessory Package Required
a8	Automatic Transmission, 8 Speeds	t	Tow Package/Upgraded Tow Package Required
a9	Automatic Transmission, 9 Speeds		for Maximum Tow Capacity
a10	Automatic Transmission, 10 Speeds	/	Either/Or
m	Manual Transmission	,	More Than One Footnote Applies

2018 TOW RATINGS

Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g)
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.4L V-8	12,450 (a6,i)
Ram 3500 CC LB DRW 2WD	6.4L V-8	15,950 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k)
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	25,360 (a6,i)*
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	30,660 (a6,k)*
Ram 3500 CC LB DRW 4WD	6.4L V-8	12,100 (a6,i)
Ram 3500 CC LB DRW 4WD	6.4L V-8	15,600 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	15,620 (m6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,620 (m6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k)
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	20,520 (a6,g)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	25,020 (a6,i)*
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	30,320 (a6,k)*

Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	5.7L V-8	11,210 (a6,i)
Ram 3500 Mega Cab SRW 2WD	5.7L V-8	13,210 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	12,650 (a6,i)
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	15,650 (a6,k)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,100 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	17,140 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,990 (a6,g)*
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	10,880 (a6,i)
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	12,880 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	12,320 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	15,320 (a6,k)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	12,200 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	15,700 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,710 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,710 (m6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	18,750 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	21,750 (a6,k)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	20,600 (a6,g)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	25,100 (a6,i)*
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	30,400 (a6,k)*
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	11,970 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	15,470 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	15,400 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,400 (m6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,440 (a6,g)

Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	18,440 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,440 (a6,k)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	20,300 (a6,g)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	24,800 (a6,i)*
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	30,100 (a6,k)*

*HO Cummins

FORD MOTOR COMPANY

EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX, FUSION, TRANSIT CONNECT

Edge FWD/AWD	2.0L I-4 TC	3,500 (t)
Edge AWD	2.7L V-6 TC	2,000 (t)**
Edge FWD/AWD	3.5L V-6	3,500 (t)
Escape FWD/4WD	1.5L I-4 TC	2,000 (t)
Escape FWD/4WD	2.0L I-4 TC	3,500 (t)
Explorer FWD	2.3L I-4 TC	2,000(t)***
Explorer FWD/4WD	2.3L I-4 TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000(t)***
Explorer FWD/4WD	3.5L V-6	5,000 (t)*
Explorer FWD/4WD	3.5L V-6 TC	5,000 (t)*
Expedition 2WD	3.5L V-6 TC	6,100 (c,f)*
Expedition 2WD	3.5L V-6 TC	9,300 (i,t)*
Expedition 4WD	3.5L V-6 TC	5,900 (f)*#
Expedition 4WD	3.5L V-6 TC	6,100 (f)*##
Expedition 4WD	3.5L V-6 TC	9,300 (i,t)*
Expedition Max 2WD	3.5L V-6 TC	6,300 (f)*
Expedition Max 2WD	3.5L V-6 TC	9,000 (i,t)*
Expedition Max 4WD	3.5L V-6 TC	6,000 (f)*
Expedition Max 4WD	3.5L V-6 TC	9,000 (i,t)*
Flex FWD/AWD	3.5L V-6	4,500 (t)****
Flex AWD	3.5L V-6 TC	4,500 (t)
Fusion FWD/AWD	2.0L I-4 TC	2,000 (a,t)***
Transit Connect Van/Wagon	2.5L I-4	2,000 (a,t)

*Maximum loaded trailer weight requires weight-distributing hitch.

**Factory- or dealer-installed towing equipment not offered for this application.

***Factory-installed towing equipment not offered for this application; available only as aftermarket accessory. Fusion Hybrid and Energi not rated to tow a trailer.

****Requires weight-distributing hitch on FWD models.

#GCWR 12,100 lbs.

##GCWR 12,300 lbs.

F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

Ford F-150 Bed Lengths: Shortbed 5.5'/Standard 6.5'/Longbed 8'

F-150 Regular Cab

F-150 Reg Cab SB 2WD	3.3L V-6	5,100/4,900 (h,t)
F-150 Reg Cab SB 2WD	3.3L V-6	7,700/7,500 (lt)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab SB 2WD	5.0L V-8	8,300/8,200 (c/f,t)
F-150 Reg Cab SB 2WD	5.0L V-8	9,100/9,000 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab SB 4WD	3.3L V-6	7,500/7,400 (i,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	8,400/8,300 (i,t)
F-150 Reg Cab SB 4WD	5.0L V-8	8,300/8,200 (f/h,t)

F-150 Reg Cab SB 4WD	5.0L V-8	9,700/9,300 (i,t)
F-150 Reg Cab LB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 Reg Cab LB 2WD	3.3L V-6	7,600/7,500 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,p,t)**
F-150 Reg Cab LB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 Reg Cab LB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 Reg Cab LB 2WD	5.0L V-8	11,100/11,000 (i,p,t)*
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,100 (h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,000 (i,p,t)*
F-150 Reg Cab LB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,300/8,200 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 Reg Cab LB 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,100/11,000 (i,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,900/11,800 (i,p,t)*

*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

**GCWR 13,300 lbs.

F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCab Std Bed 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,400/8,200 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i,p,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,800 (h,t)
F-150 SuperCab Std Bed 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600/7,400 (h,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100/7,900 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100/9,000 (f/h,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	11,300/11,000 (i,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,800/10,700 (h,t)
F-150 SuperCab Std Bed 4WD Raptor	3.5L V-6 TC	6,000 (k)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (c/f,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,200/7,900 (i,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCab LB 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab LB 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab LB 2WD	5.0L V-8	11,000/10,900 (i,p,t)*
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,900/11,800 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*

F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCab LB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,600 (i,p,t)*
F-150 SuperCab LB 4WD	5.0L V-8	11,200/10,200 (i,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,100 (f/h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,100 (h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/11,500 (i,p,t)*

F-150 SuperCrew

F-150 SuperCrew SB 2WD	3.3L V-6	5,000/4,900 (h,t)
F-150 SuperCrew SB 2WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,700/7,600 (c/f,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,300/7,700 (i,t)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p,t)
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew SB 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	10,600/10,200 (c,t)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	10,400/8,300 (c,t)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,200/8,300 (h,t)
F-150 SuperCrew SB 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,000/7,500 (i,t)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCrew SB 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew SB 4WD	5.0L V-8	10,900/10,600 (i,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,200 (f/h,t)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	12,700/10,200 (h,t)**
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,400/6,500 (f,t)
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	10,900/6,500 (h,t)
F-150 SuperCrew SB 4WD Raptor	3.5L V-6 TC	8,000 (k)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (c/f,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (i,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,100/10,000 (h,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,900/10,800 (i,p,t)*
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	13,200/11,500 (h,t)**
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/8,900 (f,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,600/10,500 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	11,600/10,700 (i,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,300 (f/h,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	13,000/10,300 (h,t)**
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,p,t)*

*Includes 17- and/or 18" wheels/tires. Higher of the two ratings shown, where applicable.

**Requires 20" tires and wheels

SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model. Fifth-wheel towing requires trailer tow package or max trailer tow package. F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

2018 TOW RATINGS

F-250 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

Ford F-250/F-350/F-450 Bed Lengths: Shortbed 6.75'/Longbed 8'

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) ⁵
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) ⁴
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) ⁶
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) ⁷

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) ³
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) ⁸
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) ⁸
F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h) ¹
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) ²
F-250 CC LB 4WD	6.7L V-8 TD	17,500 (f/h,t)

*May require tow package depending on GCWR selected. Consult Ford's 2018 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): ¹20,600, ²21,300, ³21,900, ⁴22,000, ⁵22,500, ⁶22,700, ⁷25,200, ⁸25,700.

F-250 SRW FIFTH-WHEEL TOWING

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,200 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,700 (l)

F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,400 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,000 (f/h,t)
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,400 (f/h,t)

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,300 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h,t)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h)
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h) ⁷
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,400 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h,t) ⁴
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,700 (f/h) ⁶

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (l)
F-250 CC SB 2WD	6.7L V-8 TD	16,000 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,500 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,000 (f/h,t) ³
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h)
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵
F-250 CC LB 2WD	6.2L V-8	12,600 (i)
F-250 CC LB 2WD	6.2L V-8	15,100 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h,t) ⁷
F-250 CC LB 2WD	6.7L V-8 TD	15,700 (f/h) ⁸
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h)
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h,t) ¹
F-250 CC LB 4WD	6.7L V-8 TD	12,200 (f/h,t) ¹
F-250 CC LB 4WD	6.7L V-8 TD	12,900 (f/h) ²

GCWR exceptions (lbs.): ¹20,900, ²21,300, ³22,200, ⁴22,400, ⁵22,500, ⁶22,700,

⁷23,100, ⁸23,500.

F-350 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (l)

F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	15,000 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,700 (f/h)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) ⁷
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h) ⁷

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	15,000 (i)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	15,000 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	15,000 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ³
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,000 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h)

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³22,600, ⁴28,200, ⁵28,400, ⁶28,600, ⁷28,700

F-350 SRW FIFTH-WHEEL TOWING

F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000 (i)
F-350 Reg Cab 2WD	6.2L V-8	16,500 (i)
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	16,100 (i)
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h)

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)

F-350 SuperCab SB 4WD	6.2L V-8	15,900 (i)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁴
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,600 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h) ³

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,600 (i)
F-350 CC SB 2WD	6.2L V-8	16,100 (i)
F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h)
F-350 CC SB 2WD	6.7L V-8 TD	18,000 (f/h) ^{8*}
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	18,000 (f/h) ⁸
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ⁵
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) ^{7*}
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) ^{6*}

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³21,900, ⁴22,500, ⁵22,600, ⁶28,200, ⁷28,400, ⁸28,600.

*17" tires

F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)

F-350 SuperCab

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (i)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (i)

2018 TOW RATINGS

F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	21,000 (l)

F-350/F-450 DRW FIFTH-WHEEL TOWING

F-350 Regular Cab

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	27,500 (h/k)

F-350 SuperCab

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,500 (h/k)

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,000 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,500 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,500 (k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	27,500 (l)

LINCOLN

MKC	All	3,000 (t)**
MKT FWD	3.7L V-6	2,000 (t)
MKT AWD	3.5L V-6 TC	4,500 (t)
MKX FWD/AWD	All	3,500 (t)
Navigator 2WD	3.5L V-6 TC	6,200*
Navigator 2WD	3.5L V-6 TC	8,700 (t)*
Navigator 4WD	3.5L V-6 TC	6,200*
Navigator 4WD	3.5L V-6 TC	8,300 (t)*
Navigator L 2WD/4WD	3.5L V-6 TC	6,600*
Navigator L 2WD	3.5L V-6 TC	8,400 (t)*
Navigator L 4WD	3.5L V-6 TC	8,100 (t)*

*Maximum loaded trailer weight requires weight-distributing hitch.

**Certain states require electric trailer brakes for trailers over a specified weight.

Maximum trailer weight listed may be limited to this specified weight, as the electrical system does not include the wiring connector needed to activate electric trailer brakes.

TRANSIT VAN

T-150/250 Regular Wheelbase

Transit T-150/250 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-150/250 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-150/250 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-150/250 RWB LR	3.2L I-5 TD	4,800 (f,t)

Transit T-150/250 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-150/250 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-150/250 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-150/250 RWB MR	3.2L I-5 TD	4,600 (f,t)

T-150/250 Long Wheelbase

Transit T-150/250 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-150/250 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-150/250 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	4,600 (f,t)
Transit T-150/250 LWB LR	3.2L I-5 TD	7,500 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-150/250 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-150/250 LWB MR	3.5L V-6 TC	6,800 (i,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	4,500 (f,t)
Transit T-150/250 LWB MR	3.2L I-5 TD	7,400 (i,t)

T-250 Long Wheelbase

Transit T-250 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-250 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-250 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-250 LWB HR	3.2L I-5 TD	4,400 (f,t)
Transit T-250 LWB HR	3.2L I-5 TD	7,300 (i,t)
Transit T-250 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-250 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-250 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

T-350 Regular Wheelbase

Transit T-350 RWB LR	3.7L V-6	5,400 (i,t)
Transit T-350 RWB LR	3.7L V-6	6,600 (k,t)
Transit T-350 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit T-350 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit T-350 RWB LR	3.2L I-5 TD	4,800 (f,t)
Transit T-350 RWB MR	3.7L V-6	5,200 (i,t)
Transit T-350 RWB MR	3.7L V-6	6,400 (k,t)
Transit T-350 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit T-350 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit T-350 RWB MR	3.2L I-5 TD	4,600 (f,t)

T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	5,200 (i,t)
Transit T-350 LWB LR	3.7L V-6	6,400 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit T-350 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit T-350 LWB MR	3.7L V-6	5,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	6,300 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit T-350 LWB MR	3.5L V-6 TC	6,800 (i,t)

Transit T-350 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i,t)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

*6CWR 13,000 lbs.

TRANSIT WAGON

T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i,t)
Transit T-150 RWB LR	3.7L V-6	5,100 (k,t)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i,t)
Transit T-150 RWB MR	3.7L V-6	4,500 (i,t)
Transit T-150 RWB MR	3.7L V-6	4,900 (k,t)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i,t)

T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	4,300 (i,t)
Transit T-350 LWB LR	3.7L V-6	4,700 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i,t)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f,t)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i,t)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f,t)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i,t)
Transit T-350 LWB HR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i,t)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f,t)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (i,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i,t)

For trailers over 5,000 lbs., heavy-duty trailer tow package required.

GENERAL MOTORS

BUICK

Enclave Avenir	3.6L V-6	5,000 (t)
Enclave	3.6L V-6	5,000 (t)

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500 (t)

CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon	2.5L I-4	3,500
-----------------	----------	-------

Colorado/Canyon CC 2WD	2.8L TD	7,700
Colorado/Canyon CC 4WD	2.8L TD	7,600
Colorado Ext Cab	2.8L TD	7,700
Colorado/Canyon	3.6L V-6	7,000 (t)
Colorado ZR2	All	5,000

CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

Chevrolet Equinox/GMC Terrain	2.0L I-4 TC	3,500 (t)
Chevrolet Traverse	3.6L V-6	5,000 (t)
GMC Acadia	3.6L V-6	4,000 (t)
GMC Acadia Denali	3.6L V-6	4,000

CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 CV	4.3L V-8	7,200 (t)
Express/Savana 2500 CV	6.0L V-8	10,000 (t)
Express/Savana 2500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 2500 LWB CV	4.3L V-8	6,900 (t)
Express/Savana 2500 LWB CV	6.0L V-8	9,800 (t)
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 2500 PV	4.3L V-8	6,500 (t)
Express/Savana 2500 PV	6.0L V-8	9,400 (t)
Express/Savana 2500 PV	2.8L I-4 TD	6,100 (t)
Express/Savana 3500 CV	4.3L V-8	7,200 (t)
Express/Savana 3500 CV	6.0L V-8	10,000 (t)
Express/Savana 3500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 3500 LWB CV	4.3L V-8	7,000 (t)
Express/Savana 3500 LWB CV	6.0L V-8	9,900 (t)
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 3500 PV	4.3L V-8	6,500 (t)
Express/Savana 3500 PV	6.0L V-8	9,400 (t)
Express/Savana 3500 PV	2.8L I-4 TD	6,000 (t)
Express/Savana 3500 LWB PV	4.3L V-8	6,100 (t)
Express/Savana 3500 LWB PV	6.0L V-8	9,000 (t)
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700 (t)

CHEVROLET SILVERADO/GMC SIERRA 1500

CONVENTIONAL/FIFTH-WHEEL TOWING

Chevy/GMC Bed Lengths: Shortbed 5'8"/Standard 6.5'/Longbed 8'

1500 Regular Cab

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000/6,000 (e,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900/6,900 (b,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900/8,900 (g,t)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600/7,500 (g,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600/6,600 (b,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600/8,600 (g,t)
1500 Reg Cab LB 2WD	4.3L V-6	5,900/5,900 (e,t)
1500 Reg Cab LB 2WD	5.3L V-8	6,800/6,700 (b,t)
1500 Reg Cab LB 2WD	5.3L V-8	9,800/9,700 (g,t)
1500 Reg Cab LB 4WD	4.3L V-6	7,400/7,400 (g,t)
1500 Reg Cab LB 4WD	5.3L V-8	6,500/6,500 (b,t)
1500 Reg Cab LB 4WD	5.3L V-8	9,500/9,500 (g,t)