

Trailer Life 2009 Tow Ratings Guide

COMPILED BY CHRIS HEMER

ACURA

Vehicle	Engine	Tow Limit (lb)
MDX	3.7L V-6	5,000

AUDI

Q7	3.6L V-6	5,500
Q7	3.6L V-6	6,600 (t)
Q7	4.2L V-8	5,500
Q7	4.2L V-8	6,600 (t)

BMW

X3 3.0si	3.0L I-6	3,500
X5 3.0si	3.0L I-6	6,000
X5 4.8Li	4.8L V-8	6,000
X6	3.0L I-6	6,000
X6	4.4L V-8	6,000

BUICK

Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	7,600
Escalade ESV AWD	6.2L V-8	7,800
Escalade EXT AWD	6.2L V-8	7,500
Escalade Two Mode Hybrid 2WD	6.0L V-8	5,800
Escalade Two Mode Hybrid 4WD	6.0L V-8	5,600
SRX	All	2,000
SRX	All	4,250 (t)

CHEVROLET/GMC

Avalanche 1500 2WD	5.3L V-8	5,100 (h*)
Avalanche 1500 2WD	5.3L V-8	5,600 (e*)
Avalanche 1500 2WD	5.3L V-8	8,100 (e.p*)
Avalanche 1500 2WD	5.3L V-8	5,000 (b)
Avalanche 1500 2WD	5.3L V-8	5,500 (e)
Avalanche 1500 2WD	5.3L V-8	8,000 (e)
Avalanche 1500 2WD	6.0L V-8	8,100
Avalanche 1500 4WD	5.3L V-8	5,400 (e*)
Avalanche 1500 4WD	5.3L V-8	7,800 (e.p*)
Avalanche 1500 4WD	5.3L V-8	5,500 (e)
Avalanche 1500 4WD	5.3L V-8	7,900 (e.p)
Avalanche 1500 4WD	6.0L V-8	7,700 (e)

* = Flex Fuel model

Traverse/Acadia FWD	3.6L V-6	2,000
Traverse/Acadia FWD	3.6L V-6	5,200 (t)/4,500 (t)
Traverse/Acadia AWD	3.6L V-6	2,000
Traverse/Acadia AWD	3.6L V-6	5,200 (t)/4,500 (t)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	3,400 (a.g)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	2,400 (m.g)
Colorado/Canyon Reg Cab 2WD	3.7L I-5	4,000 (a.g)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	3,200 (a.g)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	2,200 (m.g)
Colorado/Canyon Ext Cab 2WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	6,000 (a.e/g)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	4,000 (a.e*)
Colorado/Canyon CC 2WD	2.9L I-4	3,000 (a.g)
Colorado/Canyon CC 2WD	2.9L I-4	2,100 (m.g)
Colorado/Canyon CC 2WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon CC 2WD	5.3L V-8	6,000 (a.e/g)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	3,100 (a.g)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	2,100 (m.g)
Colorado/Canyon Reg Cab 4WD	3.7L I-5	4,000 (a.g)
Colorado/Canyon Ext Cab 4WD	2.9L I-4	2,900 (a.g)
Colorado/Canyon Ext Cab 4WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	6,000 (a.e/f)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	3,800 (a.e*)
Colorado/Canyon CC 4WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon CC 4WD	5.3L V-8	6,000 (a.e/f)

* With ZQ8 Sport Suspension

Equinox	All	3,500
Express/Savana 1500 SWB CV 2WD	4.3L V-6	4,400
Express/Savana 1500 SWB CV 2WD	5.3L V-8	6,700 (e/g)
Express/Savana 1500 SWB CV AWD	5.3L V-8	6,500
Express/Savana 1500 SWB PV 2WD	5.3L V-8	6,200
Express/Savana 1500 SWB PV AWD	5.3L V-8	6,000
Express/Savana 2500 SWB CV 2WD	4.8L V-8	6,400 (g)
Express/Savana 2500 SWB CV 2WD	4.8L V-8	7,400 (i)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	8,400 (g)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	7,600 (g)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	10,000 (i)
Express/Savana 2500 LWB CV 2WD	4.8L V-8	6,200 (g)
Express/Savana 2500 LWB CV 2WD	4.8L V-8	7,200 (i)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	8,200 (g)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 SWB CV 2WD	4.8L V-8	6,400 (g)
Express/Savana 3500 SWB CV 2WD	4.8L V-8	9,400 (i)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	8,400 (g)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 SWB PV 2WD	6.0L V-8	7,600 (g)

Express/Savana 3500 LWB CV 2WD	4.8L V-8	6,100 (g)
Express/Savana 3500 LWB CV 2WD	4.8L V-8	7,100 (i)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	8,200 (g)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 LWB PV 2WD	6.0L V-8	7,300 (g)

Silverado/Sierra 1500 Reg Cab, Std. Bed

1500 Reg Cab Std. Bed 2WD	4.3L V-6	4,800 (d)
1500 Reg Cab Std. Bed 2WD	4.3L V-6	5,300 (g)
1500 Reg Cab Std. Bed 2WD	4.8L V-8	5,200 (d)
1500 Reg Cab Std. Bed 2WD	4.3L V-8	7,200 (g)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	7,200 (a4,e)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	8,200 (a4,g)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	6,600 (a6,e*)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	6,700 (a6,e)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	9,100 (a6,e,p*)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	9,200 (a6,e,p)
1500 Reg Cab Std. Bed 4WD	4.3L V-6	5,100 (g)
1500 Reg Cab Std. Bed 4WD	4.8L V-8	6,000 (e)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	6,400 (e)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	8,900 (e,p)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	7,900 (g)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	8,900 (i)

* Flex Fuel model

Silverado/Sierra 1500 Ext Cab, Std. Bed

1500 Ext Cab Std. Bed 2WD	4.3L V-6	4,400 (d)
1500 Ext Cab Std. Bed 2WD	4.3L V-6	4,900 (g)
1500 Ext Cab Std. Bed 2WD	4.8L V-8	4,700 (d)
1500 Ext Cab Std. Bed 2WD	4.8L V-8	6,700 (g)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	6,700 (a4,e)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	7,700 (a4,g)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	6,200 (a6,e)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	9,700 (a6,e,p)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	6,700 (e)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	9,700 (e,p)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	10,700 (g,t)
1500 Ext Cab Std. Bed 4WD	4.8L V-8	5,500 (e)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	5,900 (e)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	9,400 (e,p)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	7,500 (g)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	8,500 (i)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	6,400 (e)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	9,400 (e,p)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	10,400 (g,t)

Silverado/Sierra 1500 Ext Cab, Shortbed

1500 Ext Cab Shortbed 2WD	4.3L V-6	4,400 (d)
1500 Ext Cab Shortbed 2WD	4.3L V-6	4,900 (g)
1500 Ext Cab Shortbed 2WD	4.8L V-8	5,800 (e)
1500 Ext Cab Shortbed 2WD	4.8L V-8	6,800 (g)
1500 Ext Cab Shortbed 2WD	5.3L V-8	6,800 (e)
1500 Ext Cab Shortbed 2WD	5.3L V-8	7,800 (g)
1500 Ext Cab Shortbed 2WD	6.0L V-8	6,700 (e)
1500 Ext Cab Shortbed 2WD	6.0L V-8	9,700 (e,p)
1500 Ext Cab Shortbed 4WD	4.8L V-8	5,500 (e)

1500 Ext Cab Shortbed 4WD	4.8L V-8	8,500 (i)
1500 Ext Cab Shortbed 4WD	5.3L V-8	7,500 (g)
1500 Ext Cab Shortbed 4WD	5.3L V-8	8,500 (i)
1500 Ext Cab Shortbed 4WD	6.0L V-8	6,400 (e)
1500 Ext Cab Shortbed 4WD	6.0L V-8	9,400 (e,p)

Silverado/Sierra 1500 CC, Shortbed

1500 CC Shortbed 2WD	4.8L V-8	4,700 (d)
1500 CC Shortbed 2WD	4.8L V-8	6,700 (g)
1500 CC Shortbed 2WD	5.3L V-8	6,100 (e)
1500 CC Shortbed 2WD	5.3L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.0L V-8	6,600 (e)
1500 CC Shortbed 2WD	6.2L V-8	6,600 (e)
1500 CC Shortbed 2WD	6.0L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.2L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.0L V-8	10,600 (g,t)
1500 CC Shortbed 2WD	6.2L V-8	10,600 (g,t)
1500 CC Shortbed 4WD	4.8L V-8	5,400 (e)
1500 CC Shortbed 4WD	5.3L V-8	6,000 (e)
1500 CC Shortbed 4WD	5.3L V-8	9,500 (e,p)
1500 CC Shortbed 4WD	6.0L V-8	6,300 (e)
1500 CC Shortbed 4WD	6.2L V-8	6,300 (e)
1500 CC Shortbed 4WD	6.0L V-8	9,300 (e,p)
1500 CC Shortbed 4WD	6.2L V-8	9,300 (e,p)
1500 CC Shortbed 4WD	6.0L V-8	10,400 (g,t)

Manufacturer's Note: Travel trailer ratings are shown; fifth-wheel ratings may be considerably less (up to 1,000 lb).

Sierra Denali CC Shortbed, 1500 2WD and AWD

Sierra Denali CC Shortbed 2WD	5.3L V-8	6,100
Sierra Denali CC Shortbed 2WD	5.3L V-8	9,600 (p)
Sierra Denali CC Shortbed 2WD	6.2L V-8	6,600
Sierra Denali CC Shortbed 2WD	6.2L V-8	9,600 (p)
Sierra Denali CC Shortbed AWD	5.3L V-8	6,000
Sierra Denali CC Shortbed AWD	5.3L V-8	9,500 (p)
Sierra Denali CC Shortbed AWD	6.2L V-8	6,300
Sierra Denali CC Shortbed AWD	6.2L V-8	9,300 (p)

Manufacturer's Note: This model is neither designed nor intended to tow a fifth-wheel or gooseneck trailer.

Silverado/Sierra 1500 Reg Cab LB

1500 Reg Cab LB 2WD	4.3L V-6	4,700 (d)
1500 Reg Cab LB 2WD	4.3L V-6	5,200 (g)
1500 Reg Cab LB 2WD	4.8L V-8	5,100 (d)
1500 Reg Cab LB 2WD	4.8L V-8	7,100 (e)
1500 Reg Cab LB 2WD	5.3L V-8	7,000 (a4,e)
1500 Reg Cab LB 2WD	5.3L V-8	8,000 (a4,e)
1500 Reg Cab LB 2WD	5.3L V-8	6,500 (a6,e)
1500 Reg Cab LB 2WD	5.3L V-8	10,000 (a6,e,p)
1500 Reg Cab LB 4WD	4.3L V-6	4,900 (g)
1500 Reg Cab LB 4WD	4.8L V-8	5,800 (e)
1500 Reg Cab LB 4WD	5.3L V-8	6,300 (e)
1500 Reg Cab LB 4WD	5.3L V-8	9,800 (e,p)
1500 Reg Cab LB 4WD	5.3L V-8	7,900 (g)
1500 Reg Cab LB 4WD	5.3L V-8	8,900 (i)

Silverado/Sierra 1500 Ext Cab LB

1500 Ext Cab LB 2WD	5.3L V-8	7,600 (a,d,g)
1500 Ext Cab LB 2WD	5.3L V-8	6,000 (a,b,e)
1500 Ext Cab LB 2WD	5.3L V-8	9,500 (a,b,e,p)
1500 Ext Cab LB 4WD	5.3L V-8	5,700 (e)
1500 Ext Cab LB 4WD	5.3L V-8	9,200 (e,p)
1500 Ext Cab LB 4WD	5.3L V-8	7,600 (g*)
1500 Ext Cab LB 4WD	5.3L V-8	7,300 (g)

* Flex Fuel model

Silverado/Sierra Two-Mode Hybrid

Two-Mode Hybrid 2WD	6.0L V-8	6,100 (b)
Two-Mode Hybrid 4WD	6.0L V-8	5,900 (b)

Silverado/Sierra 2500 Ext Cab Std. Bed

2500 Ext Cab Std. Bed 2WD	6.0L V-8	10,200 (g)
2500 Ext Cab Std. Bed 2WD	6.0L V-8	12,700 (i)
2500 Ext Cab Std. Bed 2WD	6.6L V-8 TD	15,500 (g)
2500 Ext Cab Std. Bed 4WD	6.0L V-8	9,900 (g)
2500 Ext Cab Std. Bed 4WD	6.0L V-8	12,400 (i)
2500 Ext Cab Std. Bed 4WD	6.6L V-8 TD	14,500 (g)

Silverado/Sierra 2500 CC Std. Bed

2500 CC Std. Bed 2WD	6.0L V-8	10,000 (g)
2500 CC Std. Bed 2WD	6.0L V-8	12,500 (i)
2500 CC Std. Bed 2WD	6.6L V-8 TD	15,300 (g)
2500 CC Std. Bed 4WD	6.0L V-8	9,800 (g)
2500 CC Std. Bed 4WD	6.0L V-8	12,300 (i)
2500 CC Std. Bed 4WD	6.6L V-8 TD	13,900 (g)

Silverado/Sierra 2500 Reg Cab LB

2500 Reg Cab LB 2WD	6.0L V-8	10,500 (g)
2500 Reg Cab LB 2WD	6.0L V-8	13,000 (i)
2500 Reg Cab LB 2WD	6.6L V-8 TD	15,800 (g)
2500 Reg Cab LB 4WD	6.0L V-8	10,200 (g)
2500 Reg Cab LB 4WD	6.0L V-8	12,700 (i)
2500 Reg Cab LB 4WD	6.6L V-8 TD	15,500 (g)

Silverado/Sierra 2500 Ext Cab LB

2500 Ext Cab LB 2WD	6.0L V-8	10,000 (g)
2500 Ext Cab LB 2WD	6.0L V-8	12,500 (i)
2500 Ext Cab LB 2WD	6.6L V-8 TD	15,300 (g)
2500 Ext Cab LB 4WD	6.0L V-8	9,800 (g)
2500 Ext Cab LB 4WD	6.0L V-8	12,300 (i)
2500 Ext Cab LB 4WD	6.6L V-8 TD	13,800 (g)

Silverado/Sierra 2500 CC LB

2500 CC LB 2WD	6.0L V-8	9,900 (g)
2500 CC LB 2WD	6.0L V-8	12,400 (i)
2500 CC LB 2WD	6.6L V-8 TD	14,500 (g)
2500 CC LB 4WD	6.0L V-8	9,600 (g)
2500 CC LB 4WD	6.0L V-8	12,100 (i)
2500 CC LB 4WD	6.6L V-8 TD	13,000 (g)

Silverado/Sierra 3500 Reg Cab

3500 Reg Cab SRW 2WD	6.0L V-8	10,300 (g)
3500 Reg Cab SRW 2WD	6.0L V-8	12,800 (i)
3500 Reg Cab SRW 2WD	6.6L V-8 TD	15,800 (g)
3500 Reg Cab DRW 2WD	6.0L V-8	10,000 (g)
3500 Reg Cab DRW 2WD	6.0L V-8	12,500 (i)
3500 Reg Cab DRW 2WD	6.6L V-8 TD	16,800 (g)
3500 Reg Cab SRW 4WD	6.0L V-8	10,000 (g)
3500 Reg Cab SRW 4WD	6.0L V-8	12,500 (i)
3500 Reg Cab SRW 4WD	6.6L V-8 TD	15,400 (g)
3500 Reg Cab DRW 4WD	6.0L V-8	9,700 (g)
3500 Reg Cab DRW 4WD	6.0L V-8	12,200 (i)
3500 Reg Cab DRW 4WD	6.6L V-8 TD	16,500 (g)

Silverado/Sierra 3500 Ext Cab

3500 Ext Cab SRW 2WD	6.0L V-8	9,900 (g)
3500 Ext Cab SRW 2WD	6.0L V-8	12,400 (i)
3500 Ext Cab SRW 2WD	6.6L V-8 TD	15,400 (g)
3500 Ext Cab DRW 2WD	6.0L V-8	9,500 (g)
3500 Ext Cab DRW 2WD	6.0L V-8	12,000 (i)
3500 Ext Cab DRW 2WD	6.6L V-8 TD	16,300 (g)
3500 Ext Cab SRW 4WD	6.0L V-8	9,600 (g)
3500 Ext Cab SRW 4WD	6.0L V-8	12,100 (i)
3500 Ext Cab SRW 4WD	6.6L V-8 TD	14,900 (g)
3500 Ext Cab DRW 4WD	6.0L V-8	9,200 (g)
3500 Ext Cab DRW 4WD	6.0L V-8	11,700 (i)
3500 Ext Cab DRW 4WD	6.6L V-8 TD	16,100 (g)

Silverado/Sierra 3500 CC

3500 CC SRW 2WD	6.0L V-8	9,700 (g)
3500 CC SRW 2WD	6.0L V-8	12,200 (i)
3500 CC SRW 2WD	6.6L V-8 TD	15,100 (g)
3500 CC DRW 2WD	6.0L V-8	9,300 (g)
3500 CC DRW 2WD	6.0L V-8	11,800 (i)
3500 CC DRW 2WD	6.6L V-8 TD	16,200 (g)
3500 CC SRW 4WD	6.0L V-8	9,400 (g)
3500 CC SRW 4WD	6.0L V-8	11,900 (i)
3500 CC SRW 4WD	6.6L V-8 TD	14,800 (g)
3500 CC DRW 4WD	6.0L V-8	9,100 (g)
3500 CC DRW 4WD	6.0L V-8	11,600 (i)
3500 CC DRW 4WD	6.6L V-8 TD	15,900 (g)

Chevy Tahoe and Suburban, GMC Yukon, Yukon XL, Yukon and Yukon XL Denali 1500 Series

Tahoe/Yukon 2WD	4.8L V-8	4,500 (c)
Tahoe/Yukon 2WD	4.8L V-8	4,800 (c)
Tahoe/Yukon 2WD	5.3L V-8	5,400 (b)
Tahoe/Yukon 2WD	5.3L V-8	5,900 (e)
Tahoe/Yukon 2WD	5.3L V-8	8,400 (e,p)
Tahoe/Yukon 2WD	6.2L V-8	8,500 (e)
Tahoe/Yukon Two-Mode Hybrid, 2WD	6.0L V-8	6,200
Tahoe/Yukon 4WD	5.3L V-8	5,700
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g)
Tahoe/Yukon 4WD	6.2L V-8	8,100
Tahoe/Yukon Two-Mode Hybrid, 4WD	6.0L V-8	6,000

Suburban/Yukon XL 2WD	5.3L V-8	5,100 (b)
Suburban/Yukon XL 2WD	5.3L V-8	5,600 (e)
Suburban/Yukon XL 2WD	5.3L V-8	8,100 (e,p)
Suburban/Yukon XL 2WD	6.0L V-8	8,100
Suburban/Yukon XL 4WD	5.3L V-8	5,400 (e)
Suburban/Yukon XL 4WD	5.3L V-8	7,900 (e,p)
Suburban/Yukon XL 4WD	6.0L V-8	7,900
Yukon Denali 2WD	6.2L V-8	8,100
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	7,600
Yukon XL Denali AWD	6.2L V-8	7,900

Chevy Suburban, GMC Yukon XL 2500

2500 Long Wheelbase 2WD	6.0L V-8	9,600
2500 Long Wheelbase 4WD	6.0L V-8	9,300

Chevy Trailblazer/GMC Envoy/Envoy Denali

Trailblazer/Envoy 2WD	4.2L I-6	5,400/5,300 (e)
Trailblazer/Envoy 2WD	4.2L I-6	5,900/5,300 (g)
Trailblazer/Envoy 2WD	4.2L I-6	6,400 (j)/6,300 (i)
Trailblazer/Envoy 2WD	5.3L V-8	6,300 (e)/6,100 (e)
Trailblazer/Envoy 2WD	5.3L V-8	6,800 (g)/6,600 (g)
Trailblazer/Envoy 4WD	4.2L I-6	5,200 (e)
Trailblazer/Envoy 4WD	4.2L I-6	5,700 (g)
Trailblazer/Envoy 4WD	4.2L I-6	6,200 (i)
Trailblazer/Envoy 4WD	5.3L V-8	6,100 (e)/6,000 (e)
Trailblazer/Envoy 4WD	5.3L V-8	6,600 (g)/6,500 (g)
Trailblazer SS 2WD	6.0L V-8	6,800 (i)
Trailblazer SS AWD	6.0L V-8	6,600 (i)

Key to GM Section

<i>a</i> = Automatic Transmission	<i>AWD</i> = All Wheel Drive
<i>a4</i> = Automatic Transmission, four speed	<i>CC</i> = Crew Cab
<i>a5</i> = Automatic Transmission, five speed	<i>LB</i> = 8-foot bed
<i>a6</i> = Auto Transmission, six speed	<i>Shortbed</i> = 5-foot 9-inch bed
<i>m</i> = Manual Transmission	<i>Std. Bed</i> = 6 1/2-foot bed
<i>b</i> = 3.08:1 axle ratio	<i>SWB</i> = Short Wheelbase
<i>d</i> = 3.23:1 axle ratio	<i>LWB</i> = Long Wheelbase
<i>e</i> = 3.42:1 axle ratio	<i>DRW</i> = Dual Rear Wheels
<i>g</i> = 3.73:1 axle ratio	<i>SRW</i> = Single Rear Wheel
<i>i</i> = 4.10:1 axle ratio	<i>CV</i> = Cargo Van
<i>p</i> = Cooling-package required	<i>PV</i> = Passenger Van
	<i>TD</i> = Turbodiesel
	<i>t</i> = Tow package required

CHRYSLER/DODGE

Chrysler 300	3.5L V-6	2,000
Chrysler 300	5.7L V-8	2,000
Aspen Limited 2WD	4.7L V-8	4,400 (c)
Aspen Limited 2WD	4.7L V-8	5,900 (f)
Aspen Limited 2WD	5.7L V-8	5,900 (c)
Aspen Limited 2WD	5.7L V-8	8,900 (h)
Aspen Limited 4WD	4.7L V-8	5,750 (f)
Aspen Limited 4WD	5.7L V-8	7,200 (f)
Aspen Limited 4WD	5.7L V-8	8,700 (h)
Aspen Limited 4WD hybrid	5.7L V-8	6,000

Caliber	2.4L I-4	2,000 (t)
Charger	3.5L V-6	2,000
Charger	5.7L V-8	2,000
Grand Caravan	3.3L V-6	2,000 (t)
Grand Caravan	3.8L V-6	3,600 (t)
Grand Caravan	4.0L V-6	3,600 (t)
Journey	3.5L V-6	3,500 (t)
Town and Country	3.3L V-6	2,000 (t)
Town and Country	3.8L V-6	3,600 (t)
Town and Country	4.0L V-6	3,600 (t)

Dodge Dakota

Dakota Ext Cab Shortbed 2WD	3.7L V-6	3,350 (m6,c)
Dakota Ext Cab Shortbed 2WD	3.7L V-6	4,700 (a4,f)
Dakota Ext Cab Shortbed 2WD	3.7L V-6	5,000 (a4,h)
Dakota Ext Cab Shortbed 2WD	4.7L V-8	6,000 (a5,f)
Dakota Ext Cab Shortbed 2WD	4.7L V-8	7,200 (a5,h)
Dakota Ext Cab Shortbed 4WD	3.7L V-6	3,950 (m6,f)
Dakota Ext Cab Shortbed 4WD	3.7L V-6	4,800 (a4,h)
Dakota Ext Cab Shortbed 4WD	4.7L V-8	5,800 (a5,f)
Dakota Ext Cab Shortbed 4WD	4.7L V-8	7,000 (a5,g)
Dakota CC Shortbed 2WD	3.7L V-6	3,200 (m6,c)
Dakota CC Shortbed 2WD	3.7L V-6	4,500 (a4,f)
Dakota CC Shortbed 2WD	3.7L V-6	4,800 (a4,h)
Dakota CC Shortbed 2WD	4.7L V-8	5,850 (a5,f)
Dakota CC Shortbed 2WD	4.7L V-8	7,050 (a5,h)
Dakota CC Shortbed 4WD	3.7L V-8	3,800 (m6,f)
Dakota CC Shortbed 4WD	3.7L V-8	4,800 (a4,h)
Dakota CC Shortbed 4WD	4.7L V-8	5,650 (a5,f)
Dakota CC Shortbed 4WD	4.7L V-8	6,850 (a5,h)

Manufacturer's Note: V-6 weight ratings shown are for ST trim levels, V-8 ratings are for SXT trim levels. Actual ratings may differ slightly between V-6 ST and SXT, depending on model (Extended Cab or Crew Cab).

Dodge Durango

Durango 2WD	3.7L V-6	3,800 (a4,h)
Durango 2WD	4.7L V-8	4,550 (a5,c)
Durango 2WD	4.7L V-8	6,000 (a5,f)
Durango 2WD	5.7L V-8	5,950 (a5,c)
Durango 2WD	5.7L V-8	8,950 (a5,h)
Durango 4WD	4.7L V-8	5,900 (a5,f)
Durango 4WD	5.7L V-8	7,250 (a5,f)
Durango 4WD	5.7L V-8	8,750 (a5,h)
Durango 4WD hybrid	5.7L V-8	6,000

Manufacturer's Note: Weights shown are the highest available for a given model/engine. Weights can vary depending on the model and equipment chosen.

Ram 1500 Regular Cab Shortbed

1500 Reg Cab SB 2WD	3.7L V-6	3,300 (m,h)
1500 Reg Cab SB 2WD	3.7L V-6	3,800 (a4,f,h)
1500 Reg Cab SB 2WD	4.7L V-8	6,650 (a5,f)
1500 Reg Cab SB 2WD	4.7L V-8	7,650 (a5,h)
1500 Reg Cab SB 2WD	5.7L V-8	6,100 (a5,c)
1500 Reg Cab SB 2WD	5.7L V-8	8,100 (a5,f)
1500 Reg Cab SB 2WD	5.7L V-8	9,100 (a5,h)