

# 2012 TOW RATING

## KEY TO CHARTS

<b>a</b> =Automatic Transmission	<b>b</b> =3.08:1	<b>j</b> =3.92:1	<b>AWD</b> =All-Wheel Drive	<b>SRW</b> =Single Rear Wheels
<b>a4</b> =Automatic transmission, Four Speeds	<b>c</b> =3.15:1	<b>k</b> =4.10:1	<b>CC</b> =Crew Cab	<b>CV</b> =Cargo Van
<b>a5</b> =Automatic transmission, Five Speeds	<b>d</b> =3.21:1	<b>l</b> =4.30:1	<b>KC</b> =King Cab	<b>PV</b> =Passenger Van
<b>a6</b> =Automatic transmission, Six Speeds	<b>e</b> =3.23:1	<b>n</b> =4.44:1	<b>SB</b> =Shortbed	<b>TD</b> =Turbo Diesel
<b>m</b> =Manual Transmission	<b>f</b> =3.31:1	<b>o</b> =4.56:1	<b>Std Bed</b> = Standard Bed	<b>TC</b> =Turbocharged
<b>m5</b> =Manual Transmission, Five Speeds	<b>g</b> =3.42:1	<b>q</b> =4.88:1	<b>LB</b> = Longbed	<b>SC</b> =Supercharged
<b>m6</b> =Manual Transmission, Six Speeds	<b>h</b> =3.55:1	<b>r</b> =5.38:1	<b>SWB</b> =Short Wheelbase	<b>NA</b> =Not applicable, or not available
	<b>i</b> =3.73:1		<b>LWB</b> =Long Wheelbase	
			<b>DRW</b> =Dual Rear Wheels	

**p**=Cooling or other accessory package required  
**t**=Towing package required

**A forward slash (/)** denotes either/or; **comma** indicates more than one footnote applies.

VEHICLE	ENGINE	TOW LIMIT (lb)			
<b>ACURA</b>					
MDX	3.7L V-6	5,000	Escalade ESV AWD	6.2L V-8	7,700
			Escalade EXT AWD	6.2L V-8	7,600
			Escalade Two Mode Hybrid 2WD	6.0L V-8	5,800
			Escalade Two Mode Hybrid 4WD	6.0L V-8	5,600
			SRX AWD	3.0L V-6	2,500
			SRX AWD	3.0L V-6	3,500 (t)
			SRX FWD	3.0L V-6	2,500
			SRX FWD	3.0L V-6	3,500 (t)
<b>AUDI</b>					
Q5	All	4,400	<b>CHEVROLET/GMC</b>		
Q7	All	5,500*	Avalanche 1500 2WD	5.3L V-8	5,100 (b)
Q7	3.6L V-6	6,600 (t)	Avalanche 1500 2WD	5.3L V-8	5,600 (g)
			Avalanche 1500 2WD	5.3L V-8	8,100 (g,p)
			Avalanche 1500 4WD	5.3L V-8	5,000 (b)
			Avalanche 1500 4WD	5.3L V-8	5,500 (g)
			Avalanche 1500 4WD	5.3L V-8	8,000 (g,p)
			Traverse/Acadia FWD	3.6L V-6	2,000
			Traverse/Acadia FWD	3.6L V-6	5,200 (t)
			Traverse/Acadia AWD	3.6L V-6	2,000
			Traverse/Acadia AWD	3.6L V-6	5,200 (t)
			Colorado/Canyon Reg Cab 2WD	2.9L I-4	3,400 (a,i)
			Colorado/Canyon Reg Cab 2WD	2.9L I-4	2,400 (m,i)
			Colorado/Canyon Reg Cab 2WD	3.7L I-5	4,000 (a,i)
			Colorado/Canyon Ext Cab 2WD	2.9L I-4	3,200 (a,i)
			Colorado/Canyon Ext Cab 2WD	2.9L I-4	2,200 (m,i)
			Colorado/Canyon Ext Cab 2WD	3.7L I-5	5,500 (a,i)
			Colorado/Canyon Ext Cab 2WD	5.3L V-8	6,000 (a,g,i)
			Colorado/Canyon Ext Cab 2WD	5.3L V-8	4,000 (a,g*)
			Colorado/Canyon CC 2WD	2.9L I-4	3,000 (a,i)
			Colorado/Canyon CC 2WD	2.9L I-4	2,100 (m,i)
<b>BMW</b>					
X3 2.8i	3.0L I-6	3,500			
X5 3.5i	3.0L I-6	6,000			
X5 3.5i	4.8L V-8	6,000			
X535d	3.0 I-6 TD	6,000			
X55.0i	4.4L V-8	6,000			
X635i	3.0L I-6	6,000			
X650i	4.4L V-8	6,000			
<b>BUICK</b>					
Enclave FWD	3.6L V-6	2,000			
Enclave FWD	3.6L V-6	4,500 (t)			
Enclave AWD	3.6L V-6	2,000			
Enclave AWD	3.6L V-6	4500 (t)			
<b>CADILLAC</b>					
Escalade 2WD	6.2L V-8	8,300			
Escalade AWD	6.2L V-8	8,100			
Escalade ESV 2WD	6.2L V-8	8,000			

# TOWING GUIDE

Colorado/Canyon CC 2WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon CC 2WD	5.3L V-8	6,000 (a,g/i)
Colorado/Canyon CC 2WD	5.3L V-8	3,800 (a,g*)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	3,100 (a,i)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	2,100 (m,i)
Colorado/Canyon Reg Cab 4WD	3.7L I-5	4,000 (a,i)
Colorado/Canyon Ext Cab 4WD	2.9L I-4	2,900 (a,i)
Colorado/Canyon Ext Cab 4WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	6,000 (a,g/k)

\* Sport suspension

Colorado/Canyon CC 4WD	3.7L I-5	5,500 (a,i)
Colorado/Canyon CC 4WD	5.3L V-8	6,000 (a,g/k)
Equinox/Terrain	3.0 V-6	3,500
Express/Savana 1500 SWB CV 2WD	4.3L V-6	4,300
Express/Savana 1500 SWB CV 2WD	5.3L V-8	6,700 (g/i)
Express/Savana 1500 SWB CV AWD	5.3L V-8	6,500
Express/Savana 1500 SWB PV 2WD	5.3L V-8	6,200
Express/Savana 1500 SWB PV AWD	5.3L V-8	6,000
Express/Savana 2500 SWB CV 2WD	4.8L V-8	7,400 (g)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	10,000 (g)
Express/Savana 2500 SWB CV 2WD	6.6 TD V-8	10,000
Express/Savana 2500 SWB PV 2WD	6.0L V-8	6,700 (g)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	9,800 (g)
Express/Savana 2500 LWB CV 2WD	4.8L V-8	7,200 (g)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	10,000 (g)
Express/Savana 2500 LWB CV 2WD	6.6 TD V-8	10,000
Express/Savana 3500 SWB CV 2WD	4.8L V-8	7,400 (g)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	10,000 (g)
Express/Savana 3500 SWB CV 2WD	6.6 TD V-8	10,000
Express/Savana 3500 SWB PV 2WD	6.0L V-8	9,700 (g)
Express/Savana 3500 SWB PV 2WD	6.6 TD V-8	10,000
Express/Savana 3500 LWB CV 2WD	4.8L V-8	7,100 (g)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	10,000 (g)
Express/Savana 3500 LWB CV 2WD	6.6 TD V-8	10,000
Express/Savana 3500 LWB PV 2WD	6.0L V-8	9,300 (g)
Express/Savana 3500 LWB PV 2WD	6.6 TD V-8	10,000

## Silverado/Sierra 1500 Reg Cab, Std Bed

1500 Reg Cab Std Bed 2WD	4.3L V-6	4,800 (e)
1500 Reg Cab Std Bed 2WD	4.3L V-6	5,400 (a,i)
1500 Reg Cab Std Bed 2WD	4.3L V-6	4,100 (m,i)

1500 Reg Cab Std Bed 2WD	4.8L V-8	4,700 (e)
1500 Reg Cab Std Bed 2WD	4.8L V-8	7,200 (i)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,600 (b)
1500 Reg Cab Std Bed 2WD	5.3L V-8	7,400 (b,p)
1500 Reg Cab Std Bed 2WD	5.3L V-8	9,100 (g,p)
1500 Reg Cab Std Bed 4WD	4.3L V-6	5,100 (i)
1500 Reg Cab Std Bed 4WD	4.8L V-8	6,000 (g)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,400 (b)
1500 Reg Cab Std Bed 4WD	5.3L V-8	7,100 (b,p)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,900 (g,p)

## Silverado/Sierra 1500 Ext Cab, Std Bed

### Conventional/Fifth-Wheel Towing

1500 Ext Cab Std Bed 2WD	4.3L V-6	4,400 (e)
1500 Ext Cab Std Bed 2WD	4.8L V-8	4,700 (e)
1500 Ext Cab Std Bed 2WD	4.8L V-8	6,700 (i)
1500 Ext Cab Std Bed 2WD	5.3L V-8	6,200 (b)
1500 Ext Cab Std Bed 2WD	5.3L V-8	6,900 (b,p)
1500 Ext Cab Std Bed 2WD	5.3L V-8	9,700/9,400 (g,p)
1500 Ext Cab Std Bed 2WD	6.2L V-8	9,700/9,400 (g,p)
1500 Ext Cab Std Bed 2WD	6.2L V-8	10,700/10,600 (i,t)
1500 Ext Cab Std Bed 4WD	4.8L V-8	5,500 (g)
1500 Ext Cab Std Bed 4WD	5.3L V-8	6,100 (b)
1500 Ext Cab Std Bed 4WD	5.3L V-8	6,800 (b,p)
1500 Ext Cab Std Bed 4WD	5.3L V-8	9,600 (g)
1500 Ext Cab Std Bed 4WD	6.2L V-8	9,400/9,100 (g,p)
1500 Ext Cab Std Bed 4WD	6.2L V-8	10,400/10,300 (i,t)

## Silverado/Sierra 1500 CC, Short Box

1500 CC Short Box 2WD	4.8L V-8	4,700 (e)
1500 CC Short Box 2WD	4.8L V-8	6,700 (i)
1500 CC Short Box 2WD	5.3L V-8	6,200 (b)
1500 CC Short Box 2WD	5.3L V-8	6,900 (b,p)
1500 CC Short Box 2WD (XFE)	5.3L V-8	7,000 (b)
1500 CC Short Box 2WD	5.3L V-8	9,600 (g,p)
1500 CC Short Box 2WD	6.2L V-8	9,700 (g,p)
1500 CC Short Box 2WD	6.2L V-8	10,600 (i,t)
1500 CC Short Box 4WD	4.8L V-8	5,500 (g)
1500 CC Short Box 4WD	5.3L V-8	6,000 (b)
1500 CC Short Box 4WD	5.3L V-8	6,700 (b,p)
1500 CC Short Box 4WD	5.3L V-8	9,500 (g)

# 2012 TOW RATINGS

1500 CC Short Box 4WD	6.2L V-8	9,400 (g,p)
1500 CC Short Box 4WD	6.2L V-8	10,400 (i,t)

## Sierra Denali CC Shortbed, 1500 2WD and AWD

Sierra Denali CC Shortbed 2WD	6.2L V-8	9,600 (p)
Sierra Denali CC Shortbed AWD	6.2L V-8	9,400 (p)

## Silverado/Sierra 1500 Reg Cab LB

1500 Reg Cab LB 2WD	4.3L V-6	4,700 (o)
1500 Reg Cab LB 2WD	4.3L V-6	5,200 (s)
1500 Reg Cab LB 2WD	4.8L V-8	5,100 (o)
1500 Reg Cab LB 2WD	4.8L V-8	7,100 (s)
1500 Reg Cab LB 2WD	5.3L V-8	6,500 (d)
1500 Reg Cab LB 2WD	5.3L V-8	7,200 (d,k)
1500 Reg Cab LB 2WD	5.3L V-8	10,000/8,900 (q,k)
1500 Reg Cab LB 4WD	4.3L V-6	4,900 (i)
1500 Reg Cab LB 4WD	4.8L V-8	5,800 (g)
1500 Reg Cab LB 4WD	5.3L V-8	6,300 (b)
1500 Reg Cab LB 4WD	5.3L V-8	7,000 (b,p)
1500 Reg Cab LB 4WD	5.3L V-8	9,800/9,700 (g,p)

## Silverado/Sierra 1500 Ext Cab LB

1500 Ext Cab LB 2WD	5.3L V-8	6,000 (b)
1500 Ext Cab LB 2WD	5.3L V-8	6,700 (b,p)
1500 Ext Cab LB 2WD	5.3L V-8	9,500/9,000 (g,p)

## Silverado/Sierra Two-Mode Hybrid

Two-mode hybrid 2WD	6.0L V-8	6,100
Two-mode hybrid 4WD	6.0L V-8	5,900

## Silverado/Sierra 2500 Ext Cab Std Bed

2500 Ext Cab Std Bed 2WD	6.0L V-8	9,800 (i)
2500 Ext Cab Std Bed 2WD	6.0L V-8	13,000 (k)
2500 Ext Cab Std Bed 2WD	6.6L V-8 TD	17,500 (i)
2500 Ext Cab Std Bed 4WD	6.0L V-8	9,500 (i)
2500 Ext Cab Std Bed 4WD	6.0L V-8	13,000/14,300 (k)
2500 Ext Cab Std Bed 4WD	6.6L V-8 TD	16,400 (i)

## Silverado/Sierra 2500 CC Std Bed

2500 CC Std Bed 2WD	6.0L V-8	9,700 (s)
2500 CC Std Bed 2WD	6.0L V-8	13,000/14,200 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	17,400 (i)
Sierra Denali 2500 2WD	6.6L V-8 TD	16,500 (i)
2500 CC Std Bed 4WD	6.0L V-8	9,400 (i)
2500 CC Std Bed 4WD	6.0L V-8	13,000/13,900 (k)

2500 CC Std Bed 4WD	6.6L V-8 TD	15,800 (i)
Sierra Denali 2500 4WD	6.0L V-8	9,300 (i)
Sierra Denali 2500 4WD	6.6L V-8 TD	13,000 (k)

## Silverado/Sierra 2500 Reg Cab LB

2500 Reg Cab LB 2WD	6.0L V-8	10,200 (i)
2500 Reg Cab LB 2WD	6.0L V-8	13,000/14,700 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	17,800 (i)
2500 Reg Cab LB 4WD	6.0L V-8	9,900 (i)
2500 Reg Cab LB 4WD	6.0L V-8	13,000/14,400 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	17,500 (i)

## Silverado/Sierra 2500 Ext Cab LB

2500 Ext Cab LB 2WD	6.0L V-8	9,700 (i)
2500 Ext Cab LB 2WD	6.0L V-8	13,000/14,200 (k)
2500 Ext Cab LB 2WD	6.6L V-8 TD	17,400 (i)
2500 Ext Cab LB 4WD	6.0L V-8	9,400 (i)
2500 Ext Cab LB 4WD	6.0L V-8	13,000/13,900 (k)
2500 Ext Cab LB 4WD	6.6L V-8 TD	15,700 (i)

## Silverado/Sierra 2500 CC LB

2500 CC LB 2WD	6.0L V-8	9,600 (i)
2500 CC LB 2WD	6.0L V-8	13,000/14,100 (k)
2500 CC LB 2WD	6.6L V-8 TD	16,700 (i)
2500 CC LB 4WD	6.0L V-8	9,300 (i)
2500 CC LB 4WD	6.0L V-8	13,000/13,800 (k)
2500 CC LB 4WD	6.6L V-8 TD	14,700 (i)

## Silverado/Sierra 3500 Reg Cab

3500 Reg Cab SRW 2WD	6.0L V-8	13,000/14,500 (k)
3500 Reg Cab DRW 2WD	6.0L V-8	9,600 (i)
3500 Reg Cab DRW 2WD	6.0L V-8	14,100 (k)
3500 Reg Cab SRW 4WD	6.0L V-8	9,700 (i)
3500 Reg Cab SRW 4WD	6.0L V-8	13,000/14,200 (k)
3500 Reg Cab SRW 4WD	6.6L V-8 TD	17,400 (i)
3500 Reg Cab DRW 4WD	6.0L V-8	9,300 (i)
3500 Reg Cab DRW 4WD	6.0L V-8	13,800 (k)
3500 Reg Cab DRW 4WD	6.6L V-8 TD	23,000 (i)

## Silverado/Sierra 3500 Ext Cab

3500 Ext Cab SRW 2WD	6.0L V-8	9,500 (i)
3500 Ext Cab SRW 2WD	6.0L V-8	13,000/14,000 (k)
3500 Ext Cab SRW 2WD	6.6L V-8 TD	17,300 (i)
3500 Ext Cab DRW 2WD	6.0L V-8	9,100 (i)
3500 Ext Cab DRW 2WD	6.0L V-8	13,600 (k)

**ALWAYS CHECK WITH YOUR VEHICLE MANUFACTURER FOR FINAL TOWING RATINGS.**

3500 Ext Cab DRW 2WD	6.6L V-8 TD	22,800 (i)
3500 Ext Cab SRW 4WD	6.0L V-8	9,200 (i)
3500 Ext Cab SRW 4WD	6.0L V-8	13,000/13,700 (k)
3500 Ext Cab SRW 4WD	6.6L V-8 TD	16,900 (i)
3500 Ext Cab DRW 4WD	6.0L V-8	8,900 (i)
3500 Ext Cab DRW 4WD	6.0L V-8	13,400 (k)
3500 Ext Cab DRW 4WD	6.6L V-8 TD	22,600 (i)

#### Silverado/Sierra 3500 CC

3500 CC Std Bed SRW 2WD	6.0L V-8	9,500 (i)
3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,000 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	17,200 (i)
3500 CC Std Bed SRW 2WD Denali	6.6L V-8 TD	17,100 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	9,200 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,700 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	17,000 (i)
3500 CC Std Bed SRW 4WD Denali	6.6L V-8 TD	16,800 (k)
3500 CC LB SRW 2WD	6.0L V-8	9,400 (i)
3500 CC LB SRW 2WD	6.0L V-8	13,000/13,900 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	17,300 (i)
3500 CC LB DRW 2WD	6.0L V-8	9,000 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,500 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	22,800 (i)
3500 CC LB DRW 2WD Denali	6.6L V-8 TD	22,600 (i)
3500 CC LB SRW 4WD	6.0L V-8	9,100 (i)
3500 CC LB SRW 4WD	6.0L V-8	13,000/13,600 (k)
3500 CC LB SRW 4WD	6.6L V-8 TD	16,800 (i)
3500 CC LB DRW 4WD	6.0L V-8	8,700 (i)
3500 CC LB DRW 4WD	6.0L V-8	13,200 (k)
3500 CC LB DRW 4WD	6.6L V-8 TD	22,400 (i)
3500 CC LB DRW 4WD Denali	6.6L V-8 TD	22,300 (i)

#### Chevy Tahoe and Suburban, GMC Yukon, Yukon XL, Yukon and Yukon XL Denali 1500 Series

Tahoe/Yukon 2WD	5.3L V-8	5,500 (b)
Tahoe/Yukon 2WD	5.3L V-8	6,000 (g)
Tahoe/Yukon 2WD	5.3L V-8	8,500 (g,p)
Tahoe/Yukon Two-Mode Hybrid, 2WD	6.0L V-8	6,200
Tahoe/Yukon 4WD	5.3L V-8	5,200 (b)
Tahoe/Yukon 4WD	5.3L V-8	5,700 (g)
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g,p)
Tahoe/Yukon Two-Mode Hybrid, 4WD	6.0L V-8	5,900
Suburban/Yukon XL 2WD	5.3L V-8	5,100 (b)
Suburban/Yukon XL 2WD	5.3L V-8	5,600 (g)
Suburban/Yukon XL 2WD	5.3L V-8	8,100 (g,p)

Suburban/Yukon XL 4WD	5.3L V-8	5,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	5,500 (g)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g,p)
Yukon Denali 2WD	6.2L V-8	8,300
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	7,900
Yukon XL Denali AWD	6.2L V-8	7,800

#### Chevy Suburban, GMC Yukon XL 2500

2500 Long Wheelbase 2WD	6.0L V-8	9,600
2500 Long Wheelbase 4WD	6.0L V-8	9,400

### CHRYSLER/DODGE

Grand Caravan	3.6L V-6	3,600 (t)
Journey FWD and AWD	3.6L V-6	2,500 (t)
Town and Country	3.6L V-6	3,600 (t)
Dodge Durango RWD	3.6 V-6	6,200
Dodge Durango RWD	5.7 V-8	7,400
Dodge Durango AWD	3.6 V-6	6,200
Dodge Durango AWD	5.7 V-8	7,200

#### Ram 1500 Regular Cab Shortbed

1500 Reg Cab SB 2WD	3.7L V-6	3,750 (a4,h/j)
1500 Reg Cab SB 2WD	4.7L V-8	7,600 (a5,h/j)
1500 Reg Cab SB 2WD	5.7L V-8	7,100 (a5,d)
1500 Reg Cab SB 2WD	5.7L V-8	9,100 (a5,h/j)
1500 Reg Cab SB 2WD R/T model	5.7L V-8	5,000 (a5,k)
1500 Reg Cab SB 4WD	4.7L V-8	7,450 (a5,h/j)
1500 Reg Cab SB 4WD	5.7L V-8	8,900 (a5,h/j)

#### Ram 1500 Regular Cab Longbed

1500 Reg Cab LB 2WD	3.7L V-6	3,600 (a4,h/j)
1500 Reg Cab LB 2WD	4.7L V-8	7,450 (a5,h/j)
1500 Reg Cab LB 2WD	5.7L V-8	6,900 (a5,d)
1500 Reg Cab LB 2WD	5.7L V-8	8,900 (a5,h)
1500 Reg Cab LB 2WD	5.7L V-8	10,400 (a5,j)
1500 Reg Cab LB 4WD	4.7L V-8	7,300 (a5,h/j)
1500 Reg Cab LB 4WD	5.7L V-8	8,750 (a5,h)
1500 Reg Cab LB 4WD	5.7L V-8	10,450 (a5,j)

#### Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.7L V-6	3,450 (a4,h/j)
Ram 1500 Quad Cab 2WD	4.7L V-8	7,300 (a5,h/j)
Ram 1500 Quad Cab 2WD	5.7L V-8	6,750 (a5,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,700 (a5,h)