

## FORD MOTOR COMPANY

### EDGE, ESCAPE, EXPLORER, EXPEDITION, FLEX

Edge FWD/AWD	2.0L TC	3,500 (t)
Edge FWD/AWD	3.5L V-6	3,500 (t)
Edge FWD/AWD	2.7L TC	2,000
Escape FWD/AWD	1.5L TC	2,000
Escape FWD/AWD	2.0L TC	3,500 (t)
Explorer FWD/4WD	2.3L TC	2,000
Explorer FWD/4WD	2.3L TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000
Explorer FWD/4WD	3.5L V-6	5,000 (t)
Explorer FWD/4WD	3.5L V-6 TC	5,000 (t)
Expedition 2WD	3.5L V-6 TC	6,600
Expedition 2WD	3.5L V-6 TC	9,200 (t)
Expedition 4WD	3.5L V-6 TC	6,600
Expedition 4WD	3.5L V-6 TC	9,300 (t)
Expedition EL 2WD	3.5L V-6 TC	6,600
Expedition EL 2WD	3.5L V-6 TC	9,200 (t)
Expedition EL 4WD	3.5L V-6 TC	6,700
Expedition EL 4WD	3.5L V-6 TC	9,200 (t)
Flex	All	4,500 (t)

### F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

#### F-150 Regular Cab

F-150 Reg Cab SB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab SB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	7,600/7,500 (c/f)
F-150 Reg Cab SB 2WD	2.7L V-6 TC	8,500/8,400 (i)
F-150 Reg Cab SB 2WD	5.0L V-8	8,300/8,200 (f)
F-150 Reg Cab SB 2WD	5.0L V-8	9,100/9,000 (h)
F-150 Reg Cab SB 4WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab SB 4WD	3.5L V-6	7,500/7,400 (i)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	7,700/7,600 (h)
F-150 Reg Cab SB 4WD	2.7L V-6 TC	8,500/7,700 (i)
F-150 Reg Cab SB 4WD	5.0L V-8	8,300/8,200 (f/h)
F-150 Reg Cab SB 4WD	5.0L V-8	9,600/9,000 (i)
F-150 Reg Cab LB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 Reg Cab LB 2WD	3.5L V-6	7,600/7,500 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,400/8,300 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,p)
F-150 Reg Cab LB 2WD	5.0L V-8	9,000/8,900 (f)
F-150 Reg Cab LB 2WD	5.0L V-8	10,000/9,900 (h)
F-150 Reg Cab LB 2WD	5.0L V-8	11,000/10,900 (i)*
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c)

F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,200/12,100 (h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,000 (i,t)*
F-150 Reg Cab LB 4WD	3.5L V-6	7,400/7,300 (i)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,400/8,300 (i,p)
F-150 Reg Cab LB 4WD	5.0L V-8	9,000/8,900 f/h
F-150 Reg Cab LB 4WD	5.0L V-8	10,900/10,800 (i,p)*
F-150 Reg Cab LB 4WD	5.0L V-8	11,000/10,800 (i,p)*
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,900/11,700 (i,t)*

#### F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.5L V-6	5,000/4,900 (h)
F-150 SuperCab Std Bed 2WD	3.5L V-6	7,400/7,300 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,200/7,900 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8200 (i,p)
F-150 SuperCab Std Bed 2WD Sport	5.0L V-8	6,900/6,800 (f)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,000/9,100 (f)
F-150 SuperCab Std Bed 2WD Sport	5.0L V-8	8,400/8,300 (h)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,700 (h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6	7,200/7,000 (i)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,500/7,400 (h)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100/7,900 (i,p)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,000/8,900 (f/h)
F-150 SuperCab Std Bed 4WD Sport	5.0L V-8	8,100/8,200 (h)
F-150 SuperCab Std Bed 4WD Sport	5.0L V-8	8,500/8,600 (i)
F-150 SuperCab Std Bed 4WD	5.0L V-8	10,900/10,300 (i)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,500 (f/h)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,500/11,800 (h,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (c/f)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,000/7,600 (i)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,100/8,200 (i,p)*
F-150 SuperCab LB 2WD	5.0L V-8	9,100/9,000 (f)
F-150 SuperCab LB 2WD	5.0L V-8	10,100/10,000 (h)
F-150 SuperCab LB 2WD	5.0L V-8	10,800 (i,p)*
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,700/10,600 (c)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,900/11,700 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,700 (i,p,t)*
F-150 SuperCab LB 4WD	5.0L V-8	8,800/8,700 (f)
F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,500 (i,p)*

F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,000 (f/h)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,000 (h,t,p)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,500 (i,p,t)*

**F-150 SuperCrew**

F-150 SuperCrew SB 2WD	3.5L V-6	5,000/4,900 (h)
F-150 SuperCrew SB 2WD	3.5L V-6	7,300/7,200 (i)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,600/7,500 (f)
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p)
F-150 SuperCrew SB 2WD Sport	5.0L V-8	6,900/6,700 (f)
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/8,900 (f)
F-150 SuperCrew SB 2WD Sport	5.0L V-8	8,400/8,200 (h)
F-150 SuperCrew SB 2WD	5.0L V-8	10,10/9,900 (h)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	10,700/10,400 (c)
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,200/8,700 (h)
F-150 SuperCrew SB 2WD	3.5L V-6 TC	11,900/10,400 (h,t)
F-150 SuperCrew SB 4WD	3.5L V-6	7,100/7,000 (i)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,300 (h)
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,100/7,900 (i,p)
F-150 SuperCrew SB 4WD	5.0L V-8	8,900/8,800 (f)
F-150 SuperCrew SB 4WD Sport	5.0L V-8	8,100/8,000 (h)
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCrew SB 4WD Sport	5.0L V-8	8,600/8,500 (i)
F-150 SuperCrew SB 4WD	5.0L V-8	10,800/10,000 (i)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,200 (f/h)
F-150 SuperCrew SB 4WD	3.5L V-6 TC	11,500/10,200 (h,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,600/7,500 (i)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (h,p)
F-150 SuperCrew Std Bed 2WD Sport	5.0L V-8	6,800/6,700 (f)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,000/8,900 (f)
F-150 SuperCrew Std Bed 2WD Sport	5.0L V-8	8,300/8,200 (h)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,000/9,900 (h)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,800/10,700 (i,p)*
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,600/10,200 (c)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,800/10,200 (h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,700 (i,p,t)*
F-150 SuperCrew Std Bed 4WD	5.0L V-8	8,900/8,800 (f)
F-150 SuperCrew Std Bed 4WD Sport	5.0L V-8	8,100/8,000 (h)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,000/8,900 (h)
F-150 SuperCrew Std Bed 4WD Sport	5.0L V-8	8,500/8,400 (i)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,800/10,500 (i,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,600/10,500 (i)*
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,400 (f/h)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,700/10,400 (h)

F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,t)*
-----------------------------	-------------	----------------------

\*Includes 17- and/or 18-inch wheels/tires. Higher of the two ratings shown, where applicable. Manufacturer's note: SuperCrew shortbed trucks will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model.

F-150 ratings may vary slightly depending on wheel and tire package, GCWR and other factors. Certain powertrain/axle combinations may not be available in all states. Consult Ford's 2017 RV & Trailer Towing Guide or dealer for details.

**F-250 CONVENTIONAL TOWING**

**WEIGHT-CARRYING/WEIGHT-DISTRIBUTING**

**F-250 Regular Cab**

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*

**F-250 SuperCab**

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) <sup>5</sup>
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h)*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) <sup>6</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>7</sup>

**F-250 Crew Cab**

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)*
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) <sup>3</sup>
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) <sup>8</sup>
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) <sup>8</sup>

F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,600 (f/h) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	13,300 (f/h) <sup>2</sup>
F-250 CC LB 4WD	6.7L V-8 TD	17,600 (f/h,t)

\*May require tow package depending on GCWR selected. Consult Ford's 2017 RV & Trailer Towing Guide or dealer for details.

GCWR exceptions (lbs.): <sup>1</sup>20,600, <sup>2</sup>21,300, <sup>3</sup>21,900, <sup>4</sup>22,000, <sup>5</sup>22,500, <sup>6</sup>22,700.

<sup>7</sup>25,200, <sup>8</sup>25,700.

## F-250 FIFTH-WHEEL TOWING

### F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,200 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,700 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,400 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,500 (f/h,t)
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,500 (f/h,t)

### F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,400 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h)
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h)
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	17,000 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,500 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h,t) <sup>4</sup>
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) <sup>6</sup>

### F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (l)
F-250 CC SB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,800 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,000 (f/h,t) <sup>3</sup>

F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) <sup>5</sup>
F-250 CC LB 2WD	6.2L V-8	12,600 (i)
F-250 CC LB 2WD	6.2L V-8	15,100 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,100 (f/h,t) <sup>7</sup>
F-250 CC LB 2WD	6.7L V-8 TD	15,800 (f/h) <sup>8</sup>
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h,t) <sup>1</sup>
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) <sup>2</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,700, <sup>2</sup>21,300, <sup>3</sup>22,100, <sup>4</sup>22,400, <sup>5</sup>22,500, <sup>6</sup>22,700, <sup>7</sup>23,100, <sup>8</sup>23,500.

## F-350 SRW CONVENTIONAL TOWING

### WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	15,000 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

#### F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,900 (i)
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (l)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h) <sup>2</sup>
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h)

#### F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	15,000 (l)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	15,000 (l)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h,p) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h) <sup>6</sup>
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	15,000 (l)

## 2017 TOW RATINGS

F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h,p) <sup>3</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>5</sup>
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,000 (l)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h,p) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>4</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>22,600, <sup>4</sup>28,200, <sup>5</sup>28,400, <sup>6</sup>28,600.

### F-350 SRW FIFTH-WHEEL TOWING

#### F-350 Regular Cab SRW

F-350 Reg Cab 2WD	6.2L V-8	13,000
F-350 Reg Cab 2WD	6.2L V-8	16,500 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000 (f/h,p)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i)
F-350 Reg Cab 4WD	6.2L V-8	16,100 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h,p)

#### F-350 SuperCab SRW

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (l)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h,p)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,900 (l)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h,p) <sup>4</sup>
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,600 (f/h,p)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab LB 4WD	6.7L V-8 TD	13,900 (f/h,p) <sup>3</sup>

#### F-350 Crew Cab SRW

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	16,200 (l)
F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h,p)
F-350 CC SB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>8</sup>
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (l)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h,p) <sup>2</sup>
F-350 CC SB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>8</sup>
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (l)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h,p) <sup>5</sup>
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h) <sup>7</sup>
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (l)

F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h,p) <sup>1</sup>
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) <sup>6</sup>

GCWR exceptions (lbs.): <sup>1</sup>20,200, <sup>2</sup>21,600, <sup>3</sup>21,900, <sup>4</sup>22,500, <sup>5</sup>22,600, <sup>6</sup>28,200, <sup>7</sup>28,400, <sup>8</sup>28,600.

### F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

#### F-350 Regular Cab DRW

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)

#### F-350 SuperCab DRW

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

#### F-350/F-450 Crew Cab DRW

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 4WD	6.7L V-8 TD	21,000 (l)

### F-350/F-450 DRW FIFTH-WHEEL TOWING

#### F-350 Regular Cab DRW

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (l)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	27,500 (h/k)

#### F-350 SuperCab DRW

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)

F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,500 (h/k)

### F-350/F-450 Crew Cab DRW

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,500 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,500 (k)
F-450 CC LB DRW 4WD	6.7L V-8 TD	27,500 (l)

### LINCOLN

MKC	All	3,000 (t)
MKT FWD/AWD	3.7L V-6	2,000
MKT AWD	3.5L V-6 TC	4,500 (t)
MKX	All	3,500
Navigator 2WD	3.5L V-6 TC	9,000 (t)
Navigator 4WD	3.5L V-6 TC	8,600 (t)
Navigator L 2WD	3.5L V-6 TC	8,500 (t)
Navigator L 4WD	3.5L V-6 TC	8,300 (t)

### TRANSIT VAN

#### T-150/250 Regular Wheelbase

Transit T-150/250 RWB LR	3.7L V-6	5,400 (i)
Transit T-150/250 RWB LR	3.7L V-6	6,600 (k)
Transit T-150/250 RWB LR	3.5L V-6 TC	5,700 (f)
Transit T-150/250 RWB LR	3.5L V-6 TC	7,100 (i)
Transit T-150/250 RWB LR	3.2L I-5 TD	4,800 (f)
Transit T-150/250 RWB MR	3.7L V-6	5,200 (i)
Transit T-150/250 RWB MR	3.7L V-6	6,400 (k)
Transit T-150/250 RWB MR	3.5L V-6 TC	5,500 (f)
Transit T-150/250 RWB MR	3.5L V-6 TC	6,900 (i)
Transit T-150/250 RWB MR	3.2L I-5 TD	4,600 (f)

#### T-150/250 Long Wheelbase

Transit T-150/250 LWB LR	3.7L V-6	5,200 (i)
Transit T-150/250 LWB LR	3.7L V-6	6,400 (k)
Transit T-150/250 LWB LR	3.5L V-6 TC	5,600 (f)
Transit T-150/250 LWB LR	3.5L V-6 TC	7,000 (i)
Transit T-150/250 LWB LR	3.2L I-5 TD	4,600 (f)
Transit T-150/250 LWB LR	3.2L I-5 TD	7,500 (i)
Transit T-150/250 LWB MR	3.7L V-6	5,100 (i)
Transit T-150/250 LWB MR	3.7L V-6	6,300 (k)
Transit T-150/250 LWB MR	3.5L V-6 TC	5,400 (f)

Transit T-150/250 LWB MR	3.5L V-6 TC	6,800 (i)
Transit T-150/250 LWB MR	3.2L I-5 TD	4,500 (f)
Transit T-150/250 LWB MR	3.2L I-5 TD	7,400 (i)

#### T-250 Long Wheelbase

Transit T-250 LWB HR	3.7L V-6	6,200 (k)
Transit T-250 LWB HR	3.5L V-6 TC	5,300 (f)
Transit T-250 LWB HR	3.5L V-6 TC	6,700 (i)
Transit T-250 LWB HR	3.2L I-5 TD	4,400 (f)
Transit T-250 LWB HR	3.2L I-5 TD	7,300 (i)
Transit T-250 LWB EL HR	3.7L V-6	6,000 (k)
Transit T-250 LWB EL HR	3.5L V-6 TC	5,100 (f)
Transit T-250 LWB EL HR	3.5L V-6 TC	6,500 (i)
Transit T-250 LWB EL HR	3.2L I-5 TD	4,200 (f)
Transit T-250 LWB EL HR	3.2L I-5 TD	7,100 (i)

#### T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	5,200 (i)
Transit T-350 LWB LR	3.7L V-6	6,400 (k)
Transit T-350 LWB LR	3.5L V-6 TC	5,600 (f)
Transit T-350 LWB LR	3.5L V-6 TC	7,000 (i)
Transit T-350 LWB MR	3.7L V-6	5,100 (i)
Transit T-350 LWB MR	3.7L V-6	6,300 (k)
Transit T-350 LWB MR	3.5L V-6 TC	5,400 (f)
Transit T-350 LWB MR	3.5L V-6 TC	6,800 (i)
Transit T-350 LWB HR	3.7L V-6	6,200 (k)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i)

\*With 13,000-lb. GCWR

Transit Van ratings may vary slightly depending on seating capacity, GVWR and other factors. See dealer for details.

### TRANSIT WAGON

#### T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i)
Transit T-150 RWB LR	3.7L V-6	5,100 (k)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i)
Transit T-150 RWB MR	3.7L V-6	4,500 (i)
Transit T-150 RWB MR	3.7L V-6	4,900 (k)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i)

**T-350 Long Wheelbase**

Transit T-350 LWB LR	3.7L V-6	4,300 (i)
Transit T-350 LWB LR	3.7L V-6	4,700 (k)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i)
Transit T-350 LWB MR	3.7L V-6	4,100 (i)
Transit T-350 LWB MR	3.7L V-6	4,500 (k)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i)
Transit T-350 LWB HR	3.7L V-6	4,500 (k)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (f/i)
Transit T-350 LWB EL HR	3.2L I-5 TD	2,900 (f)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i)

Transit Wagon ratings may vary slightly depending on seating capacity, GVWR and other factors. See dealer for details.

**GENERAL MOTORS****BUICK**

Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)
Enclave AWD	3.6L V-6	2,000
Enclave AWD	3.6L V-6	4,500 (t)

**CADILLAC**

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500

**CHEVROLET COLORADO/GMC CANYON**

Colorado/Canyon Ext Cab	2.5L I-4	3,500
Colorado/Canyon Ext Cab	3.6L V-6	3,500
Colorado/Canyon Ext Cab	3.6L V-6	7,000 (t)
Colorado/Canyon CC SB	2.5L I-4	3,500
Colorado/Canyon CC SB	3.6L V-6	7,000 (t)
Colorado/Canyon CC SB 2WD	2.8L TD	7,700
Colorado/Canyon CC SB 4WD	2.8L TD	7,600
Colorado/Canyon CC Std Bed	3.6L V-6	3,500
Colorado/Canyon CC Std Bed	3.6L V-6	7,000 (t)
Colorado/Canyon CC Std Bed 2WD	2.8L TD	7,700
Colorado/Canyon CC Std Bed 4WD	2.8L TD	7,600

**CHEVROLET EQUINOX, TRAVERSE, GMC ACADIA, TERRAIN**

Chevrolet Equinox/GMC Terrain (all)	3.6L V-6	3,500 (t)
Chevrolet Traverse FWD	3.6L V-6	2,000
Chevrolet Traverse FWD	3.6L V-6	5,200 (t)
Chevrolet Traverse AWD	3.6L V-6	2,000
Chevrolet Traverse AWD	3.6L V-6	5,200 (t)
GMC Acadia (all)	3.6L V-6	4,000 (t)

**CHEVROLET EXPRESS/GMC SAVANA**

Express/Savana 2500 SWB CV*	4.8L V-8	7,400
Express/Savana 2500 SWB CV	6.0L V-8	10,000
Express/Savana 2500 LWB CV	4.8L V-8	7,200
Express/Savana 2500 LWB CV	6.0L V-8	10,000
Express/Savana 2500 SWB PV	6.0L V-8	6,700
Express/Savana 2500 SWB PV	6.0L V-8	9,800
Express/Savana 3500 SWB CV	4.8L V-8	7,400
Express/Savana 3500 SWB CV	6.0L V-8	10,000
Express/Savana 3500 SWB PV	6.0L V-8	9,700
Express/Savana 3500 LWB CV	4.8L V-8	7,100
Express/Savana 3500 LWB CV	6.0L V-8	10,000
Express/Savana 3500 LWB PV	6.0L V-8	9,300

\*Duramax engine no longer offered

2016 Express/Savana ratings. 2017 ratings not available at press time.

**CHEVROLET SILVERADO/GMC SIERRA 1500****1500 Regular Cab**

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000 (e)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900 (b)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900 (g)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600 (g)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600 (b)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600 (g)
1500 Reg Cab LB 2WD	4.3L V-6	5,900 (e)
1500 Reg Cab LB 2WD	5.3L V-8	6,800 (b)
1500 Reg Cab LB 2WD	5.3L V-8	9,800 (g)
1500 Reg Cab LB 4WD	4.3L V-6	7,400 (g)
1500 Reg Cab LB 4WD	5.3L V-8	6,500 (b)
1500 Reg Cab LB 4WD	5.3L V-8	9,500 (g)

**1500 Double Cab**

1500 DC 2WD	4.3L V-6	5,600 (g)
1500 DC 2WD	5.3L V-8	6,400 (b)
1500 DC 2WD	5.3L V-8	9,400 (g)
1500 DC 2WD	5.3L V-8	11,100 (g/i,t)
1500 DC 2WD	6.2L V-8	9,400 (e)
1500 DC 2WD	6.2L V-8	12,000 (g,t)
1500 DC 4WD	4.3L V-6	7,100 (g)